

Author Index of Volume 151

- Advani, A. H., 179
Aizawa, T., 45, 53
Allan, M. L., 263
- Beaven, P. A., 69
Breu, M., 61
- Cassila, D. H., 11
Chan, C. L., 97
Chen, X. M., 45, 53
Chou, M., L1
- Dahms, M., L27
Dobes, F., 161
- Endo, T., L1
Es-Souni, M., 69
- Fiala, J., 147
- Gan, D., L15
Ganesan, S., 97
Goretta, K. C., 85
Gourdin, W. H., 11
Greil, P., 247
Gruber, U., 247
Grujicic, M., 217, 227
Gust, W., 61
- Hajek, M., 19
Helming, K., L9
Herrera, J. M., 179
- Jain, L. K., 169
Jha, S. C., 137
Johansen, A., 107
Johnson, E., 107
- Kao, P.-W., L15
Kihara, J., 45, 53
- Koch, R., 37
Kolodziej, R., L5
Komisarov, V., 197
Kool, W. H., 255
Kostorz, G., 77
Kozubski, R., 77
Kronmüller, H., 205
Kulig, M., 247
- Laird, C., 121
Landkroon, S., 255
Langdon, T. G., 147
Li, Q., 107
Loue, W. R., 255
Luo, K. T., L15
- Matsuda, N., L1
Matsuura, K., L1
Merkel, I., 131
Messerschmidt, U., 131
Michalek, A., 77
Modi, O. P., 235
Moser, N., 205
Murali, S., 1
Murr, L. E., 179
Murthy, K. S. S., 1
- Narayan, C. P., 217, 227
Niou, C. S., 179
- Obrtlik, K., 19
Ohashi, Y., 37
Orlova, A., 153
- Poirier, D. R., 97
Polak, J., 19
Prasad, B. K., 235
Predel, B., 61
- Quan, M. X., 189
- Raman, K. S., 1
Rauschenbach, B., L9
Ray, R., 137
Rios, P. R., L19
Routbort, J. L., 85
Rudajevova, A., L23
- Sarholt-Kristensen, L., 1
Schwander, P., 77
Schwantes, S., L27
Shen, T. D., 189
Sherby, O. D., 37
Soltys, J., 77, L5
Stafford, S. W., 179
Sun, Z., 121
- Tholen, A. R., 197
Travitzky, N., 247
- Vaidya, M. L., 235
Vasek, A., 19
Vega, L., 179
- Wagner, R., 69
Wang, J. T., 189
Wang, K. Y., 189
Wang, Z., 29, 121
Wetherhold, R. C., 169
Whittenberger, J. D., 137
Wolfenstine, J., 37
Wu, W., 85
- Xia, Y. B., 29
- Yegneswaran, A. H., 235
Yu, L., 107
- Zarubova, N., 205

Subject Index of Volume 151

Alloys

- a study of $\beta \rightarrow \alpha''$ martensitic transformation volume change in Ti-Al-V alloys, 217
- dry sliding wear behaviour of squeeze cast aluminium alloy-silicon carbide composites, 235
- effect of magnesium, iron (impurity) and solidification rates on the fracture toughness of Al-7Si-0.3Mg casting alloy, 1
- influence of doping on the early stages of precipitation in Cu-Co base alloys, 61
- kinetics of crystallization in a Fe₉₀Zr₁₀ amorphous alloy, 205
- low temperature mechanical properties of Fe-28Mn-5Al-1C alloy, L15
- microstructure and phase relationships in a rapidly solidified dual phase alloy based on Ti₃(Al,Si) + Ti₅(Si,Al)₃, 69
- non-isothermal kinetic study of the high temperature processes in the Ti-50.6at.%Ni shape memory alloy, L5
- resistometric studies of ordering processes in Ni-Mo alloys with 5-20at.%Mo, 77
- solid state displacement reaction of Fe and CuO induced by mechanical alloying, 189
- TEM investigation of pulse anodized porous films formed on aluminium alloys, 197

Alumina fibres

- creep curves of an aluminium matrix composite reinforced with continuous alumina fibres, L1

Alumina plates

- controlled-fracture forming for alumina wires and plates
 - I. Cold working and resintering characteristic, 45
- controlled-fracture forming for alumina wires and plates
 - II. Microstructural refinement, 53

Alumina wires

- controlled-fracture forming for alumina wires and plates
 - I. Cold working and resintering characteristic, 45
- controlled-fracture forming for alumina wires and plates
 - II. Microstructural refinement, 53

Aluminium

- a study of $\beta \rightarrow \alpha''$ martensitic transformation volume change in Ti-Al-V alloys, 217
- creep curves of an aluminium matrix composite reinforced with continuous alumina fibres, L1
- crystallization of aluminium-based metallic glasses: processes and kinetics, 107
- dry sliding wear behaviour of squeeze cast aluminium alloy-silicon carbide composites, 235
- effect of iron additions on β -phase stability with respect to α -martensite in V-28Al-17Ti (wt.%), 227
- effect of magnesium, iron (impurity) and solidification rates on the fracture toughness of Al-7Si-0.3Mg casting alloy, 1
- erosion of 2014 Al reinforced with SiC or Al₂O₃ particles, 85
- influence of grain size on the creep behaviour of HfC-dispersed NiAl, 137
- low temperature mechanical properties of Fe-28Mn-5Al-1C alloy, L15
- microstructure and phase relationships in a rapidly solidified dual phase alloy based on Ti₃(Al,Si) + Ti₅(Si,Al)₃, 69
- rheology of partially solidified AlSi7Mg0.3 and the influence of SiC additions, 255

- TEM investigation of pulse anodized porous films formed on aluminium alloys, 197

- titanium aluminide foils by elemental powder processing, L27

Amorphous alloys

- kinetics of crystallization in a Fe₉₀Zr₁₀ amorphous alloy, 205

β -phase stability

- effect of iron additions on β -phase stability with respect to α -martensite in V-28Al-17Ti (wt.%), 227

Bend tests

- fracture behavior of a laminated steel-brass composite in bend tests, 37

Beryllium

- a transmission electron microscope study of deformed and fractured commercial grade beryllium, 179

Brass

- fracture behavior of a laminated steel-brass composite in bend tests, 37

Brittle matrix composites

- the toughness of brittle matrix composites reinforced with discontinuous fibers, 169

Carbon

- effect of kinetics on carbonitride composition in microalloyed steels containing Nb and V, L19
- erosion of 2014 Al reinforced with SiC or Al₂O₃ particles, 85
- fracture toughness of sintered SiC ceramics: a comparison between different methods, 131
- influence of grain size on the creep behaviour of HfC-dispersed NiAl, 137
- low temperature mechanical properties of Fe-28Mn-5Al-1C alloy, L15
- rheology of partially solidified AlSi7Mg0.3 and the influence of SiC additions, 255

Carbonitride composition

- effect of kinetics on carbonitride composition in microalloyed steels containing Nb and V, L19

Ceramics

- fracture toughness of sintered SiC ceramics: a comparison between different methods, 131

Cobalt

- influence of doping on the early stages of precipitation in Cu-Co base alloys, 61

Composites

- creep curves of an aluminium matrix composite reinforced with continuous alumina fibres, L1
- dry sliding wear behaviour of squeeze cast aluminium alloy-silicon carbide composites, 235
- fracture behavior of a laminated steel-brass composite in bend tests, 37
- strain dependence of the volume fraction of hard regions in the composite model of plastic deformation and related substructural quantities, 161
- the toughness of brittle matrix composites reinforced with discontinuous fibers, 169

Copper

- cyclic stress-strain response of polycrystalline copper in a wide range of plastic strain amplitudes, 19
- effect of initial ramp-loading on fatigue behaviour in polycrystalline copper, 121
- influence of doping on the early stages of precipitation in Cu-Co base alloys, 61
- solid state displacement reaction of Fe and CuO induced by mechanical alloying, 189
- the mechanical behavior of pre-shocked copper at strain rates of 10^{-3} – 10^4 s $^{-1}$ and temperatures of 25–400 °C, 11

Creep

- an examination of the metals deforming by Harper-Dorn creep at high homologous temperatures, 147
- creep curves of an aluminium matrix composite reinforced with continuous alumina fibres, L1
- influence of grain size on the creep behaviour of HfC-dispersed NiAl, 137
- two concepts of mobile dislocation density in creep at high temperatures, 153

Crystallization

- crystallization of aluminium-based metallic glasses: processes and kinetics, 107
- kinetics of crystallization in a Fe₉₀Zr₁₀ amorphous alloy, 205

Deformation

- a transmission electron microscope study of deformed and fractured commercial grade beryllium, 179
- an examination of the metals deforming by Harper-Dorn creep at high homologous temperatures, 147
- strain dependence of the volume fraction of hard regions in the composite model of plastic deformation and related substructural quantities, 161

Discontinuous fibres

- the toughness of brittle matrix composites reinforced with discontinuous fibers, 169

Displacement reaction

- solid state displacement reaction of Fe and CuO induced by mechanical alloying, 189

Doping

- influence of doping on the early stages of precipitation in Cu-Co base alloys, 61

Dry sliding

- dry sliding wear behaviour of squeeze cast aluminium alloy-silicon carbide composite, 235

Erosion

- erosion of 2014 Al reinforced with SiC or Al₂O₃ particles, 85

Fatigue

- effect of initial ramp-loading on fatigue behavior in polycrystalline copper, 121
- low cycle fatigue behaviour of a new type of stainless steel, 29

Fibres

- the toughness of brittle matrix composites reinforced with discontinuous fibers, 169

Filtration

- pressure filtration of silicon nitride suspensions with constant filtration rate, 247

Flow rates

- permeability for flow parallel to primary dendrite arms, 97

Fracture

- a transmission electron microscope study of deformed and fractured commercial grade beryllium, 179
- controlled-fracture forming for alumina wires and plates

I. Cold working and resintering characteristic, 45

controlled-fracture forming for alumina wires and plates

II. Microstructural refinement, 53

fracture behavior of a laminated steel-brass composite in bend tests, 37

Fracture toughness

- effect of magnesium, iron (impurity) and solidification rates on the fracture toughness of Al-7Si-0.3Mg casting alloy, 1
- fracture toughness of sintered SiC ceramics: a comparison between different methods, 131

Glass

crystallization of aluminium-based metallic glasses: processes and kinetics, 107

Grain size

influence of grain size on the creep behaviour of HfC-dispersed NiAl, 137

Hafnium

influence of grain size on the creep behaviour of HfC-dispersed NiAl, 137

Harper-Dorn creep

an examination of the metals deforming by Harper-Dorn creep at high homologous temperatures, 147

Ion implantation

nitrogen ion implantation induced phase formation and texture in titanium, L9

Iron

- effect of iron additions on β -phase stability with respect to α -martensite in V-28Al-17Ti (wt.%), 227
- effect of magnesium, iron (impurity) and solidification rates on the fracture toughness of Al-7Si-0.3Mg casting alloy, 1
- kinetics of crystallization in a Fe₉₀Zr₁₀ amorphous alloy, 205
- low temperature mechanical properties of Fe-28Mn-5Al-1C alloy, L15
- solid state displacement reaction of Fe and CuO induced by mechanical alloying, 189

Laminating

fracture behavior of a laminated steel-brass composite in bend tests, 37

Magnesium

- effect of magnesium, iron (impurity) and solidification rates on the fracture toughness of Al-7Si-0.3Mg casting alloy, 1
- rheology of partially solidified AlSi7Mg0.3 and the influence of SiC additions, 255

Manganese

low temperature mechanical properties of Fe-28Mn-5Al-1C alloy, L15

Martensite

- a study of $\beta \rightarrow \alpha''$ martensitic transformation volume change in Ti-Al-V alloys, 217
- effect of iron additions on β -phase stability with respect to α -martensite in V-28Al-17Ti (wt.%), 227

Mechanical alloying

solid state displacement reaction of Fe and CuO induced by mechanical alloying, 189

Metals

- an examination of the metals deforming by Harper-Dorn creep at high homologous temperatures, 147
- crystallization of aluminium-based metallic glasses: processes and kinetics, 107

Mobile dislocation density

two concepts of mobile dislocation density in creep at high temperatures, 153

- Molybdenum**
resistometric studies of ordering processes in Ni-Mo alloys with 5-20at.%Mo, 77
- Nickel**
influence of grain size on the creep behaviour of HfC-dispersed NiAl, 137
non-isothermal kinetic study of the high temperature processes in the Ti-50.6at.%Ni shape memory alloy, L5
resistometric studies of ordering processes in Ni-Mo alloys with 5-20at.%Mo, 77
- Niobium**
effect of kinetics on carbonitride composition in microalloyed steels containing Nb and V, L19
- Nitrogen**
effect of kinetics on carbonitride composition in microalloyed steels containing Nb and V, L19
nitrogen ion implantation induced phase formation and texture in titanium, L9
pressure filtration of silicon nitride suspensions with constant filtration rate, 247
- Oxygen**
erosion of 2014 Al reinforced with SiC or Al₂O₃ particles, 85
influence of the transparency and grinding on the thermal diffusivity of plasma sprayed coatings ZrO₂ with 8 wt.% Y₂O₃ coatings, L23
solid state displacement reaction of Fe and CuO induced by mechanical alloying, 189
- Partial solidification**
rheology of partially solidified AlSi7Mg0.3 and the influence of SiC additions, 255
- Particle refinement**
controlled-fracture forming for alumina wires and plates
II. Microstructural refinement, 53
- Particle reinforcement**
erosion of 2014 Al reinforced with SiC or Al₂O₃ particles, 85
- Permeability**
permeability for flow parallel to primary dendrite arms, 97
- Phase formation**
nitrogen ion implantation induced phase formation and texture in titanium, L9
- Phase relationships**
microstructure and phase relationships in a rapidly solidified dual phase alloy based on Ti₃(Al,Si) + Ti₅(Si,Al)₃, 69
- Plasma spraying**
influence of the transparency and grinding on the thermal diffusivity of plasma sprayed coatings ZrO₂ with 8 wt.% Y₂O₃ coatings, L23
- Plastics**
cyclic stress-strain response of polycrystalline copper in a wide range of plastic strain amplitudes, 19
strain dependence of the volume fraction of hard regions in the composite model of plastic deformation and related substructural quantities, 161
- Plastic deformation**
strain dependence of the volume fraction of hard regions in the composite model of plastic deformation and related substructural quantities, 161
- Polycrystals**
cyclic stress-strain response of polycrystalline copper in a wide range of plastic strain amplitudes, 19
effect of initial ramp-loading on fatigue behavior in polycrystalline copper, 121
- Porous films**
TEM investigation of pulse anodized porous films formed on aluminium alloys, 197
- Powder processing**
titanium aluminide foils by elemental powder processing, L27
- Precipitation**
influence of doping on the early stages of precipitation in Cu-Co base alloys, 61
- Pressure filtration**
pressure filtration of silicon nitride suspensions with constant filtration rate, 247
- Primary dendrite arms**
permeability for flow parallel to primary dendrite arms, 97
- Pulse anodization**
TEM investigation of pulse anodized porous films formed on aluminium alloys, 197
- Ramp-loading**
effect of initial ramp-loading on fatigue behaviour in polycrystalline copper, 121
- Rapid solidification**
microstructure and phase relationships in a rapidly solidified dual phase alloy based on Ti₃(Al,Si) + Ti₅(Si,Al)₃, 69
- Resistometry**
resistometric studies of ordering processes in Ni-Mo alloys with 5-20at.%Mo, 77
- Shape memory alloys**
non-isothermal kinetic study of the high temperature processes in the Ti-50.6at.%Ni shape memory alloy, L5
- Shocking**
the mechanical behavior of pre-shocked copper at strain rates of 10⁻³-10⁴ s⁻¹ and temperatures of 25-400 °C, 11
- Silicon**
dry sliding wear behaviour of squeeze cast aluminium alloy-silicon carbide composites, 235
effect of magnesium, iron (impurity) and solidification rates on the fracture toughness of Al-7Si-0.3Mg casting alloy, 1
erosion of 2014 Al reinforced with SiC or Al₂O₃ particles, 85
fracture toughness of sintered SiC ceramics: a comparison between different methods, 131
microstructure and phase relationships in a rapidly solidified dual phase alloy based on Ti₃(Al,Si) + Ti₅(Si,Al)₃, 69
pressure filtration of silicon nitride suspensions with constant filtration rate, 247
rheology of partially solidified AlSi7Mg0.3 and the influence of SiC additions, 255
- Sintering**
controlled-fracture forming for alumina wires and plates
I. Cold working and resintering characteristic, 45
fracture toughness of sintered SiC ceramics: a comparison between different methods, 131
- Squeeze casting**
dry sliding wear behaviour of squeeze cast aluminium alloy-silicon carbide composite, 235
- Stainless steel**
low cycle fatigue behaviour of a new type of stainless steel, 29
- Steel**
effect of kinetics on carbonitride composition in microalloyed steels containing Nb and V, L19
fracture behavior of a laminated stress-brass composite in bend tests, 37
low cycle fatigue behaviour of a new type of stainless steel, 29
- Strain**
cyclic stress-strain response of polycrystalline copper in a wide range of plastic strain amplitudes, 19

strain dependence of the volume fraction of hard regions in the composite model of plastic deformation and related substructural quantities, 161

Strain rates

the mechanical behavior of pre-shocked copper at strain rates of 10^{-3} – 10^4 s⁻¹ and temperatures of 25–400 °C, 11

Stress

cyclic stress-strain response of polycrystalline copper in a wide range of plastic strain amplitudes, 19

Thermal diffusivity

influence of the transparency and grinding on the thermal diffusivity of plasma sprayed coatings ZrO₂ with 8 wt.% Y₂O₃ coatings, L23

Titanium

a study of $\beta \rightarrow \alpha''$ martensitic transformation volume change in Ti–Al–V alloys, 217

effect of iron additions on β -phase stability with respect to α -martensite in V–28Al–17Ti (wt.%), 227

microstructure and phase relationships in a rapidly solidified dual phase alloy based on Ti₃(Al,Si) + Ti₅(Si,Al)₃, 69

nitrogen ion implantation induced phase formation texture in titanium, L9

non-isothermal kinetic study of the high temperature processes in the Ti–50.6at.%Ni shape memory alloy, L5

titanium aluminide foils by elemental powder processing, L27

Transmission electron microscopy

a transmission electron microscope study of deformed and fractured commercial grade beryllium, 179

TEM investigation of pulse anodized porous films formed on aluminium alloys, 197

Vanadium

a study of $\beta \rightarrow \alpha''$ martensitic transformation volume change in Ti–Al–V alloys, 217

effect of iron additions on β -phase stability with respect to α -martensite in V–28Al–17Ti (wt.%), 227

effect of kinetics on carbonitride composition in microalloyed steels containing Nb and V, L19

Yttrium

influence of the transparency and grinding on the thermal diffusivity of plasma sprayed coatings ZrO₂ with 8 wt.% Y₂O₃ coatings, L23

Zirconium

influence of the transparency and grinding on the thermal diffusivity of plasma sprayed coatings ZrO₂ with 8 wt.% Y₂O₃ coatings, L23

kinetics of crystallization in a Fe₉₀Zr₁₀ amorphous alloy, 205

